

| | |
|---|----------|
| MAN BASKETS | 2 |
| MAN BASKETS FOR THE TRANSPORT OF INJURED PERSONS | 4 |
| MAN BASKETS FOR FORKLIFT TRUCKS | 5 |
| MATERIAL BASKETS | 6 |
| CUSTOM LIFTING BASKETS | 7 |

NA-2

Man basket for 2 persons ILSA NA-2

- + Design and production in our workshops in Belgium.
The self-closing door swings open inwards and is fitted with a lock.
With 2 anchor points for harness.
With a 4 leg G100 chain sling with a large ring with dimensions 160x90mm.
Manufactured in square tubes, the 4 side walls are in expanded metal.
With inner handle around the entire perimeter.
Checker plate bottom with 4 drainage holes.
The 4 feet in tubes 140x90 mm and with length 100 mm are placed 150 mm from the edges and with 600 mm between the tubes. This allows the man basket to be moved with the forklift without people in the basket.


N According to the norm EN 14502-1.
Meets the safety standards of the general work regulations.

i Additional information about the man basket, ILSA NA-2:

- Finishing powder coated yellow RAL1021.
- The basket is a work equipment that does not require an EC marking. Commissioning is done according to CODEX.

Options:

- Other colors and finishes (metallization, extra epoxy layer, ...).
- Option to close the roof on request with expanded metal, flat sheet or tarpaulin.
- Other suspensions (even larger ring, cable length, ...).
- Other feet.
- Other capacities and dimensions.
- Can be supplied with PPE (harness, fall protection, ...).
- Examination and report for commissioning by a recognized inspection organisation on request.



NA-2



| Type | WLL (kg) | H1 (mm) | H2 (mm) | L (mm) | W (mm) | Weight (kg) |
|------|----------|---------|---------|--------|--------|-------------|
| NA-2 | 300 | 2225 | 1.000 | 1200 | 800 | 130 |

Bestseller

NA-1

Man basket for 1 person ILSA NA-1


- + Design and production in our workshops in Belgium.
The self-closing door swings open inwards and is fitted with a lock.
With 2 anchor points for harness.
With a 4 leg G100 chain sling with a large ring with dimensions 160x90mm.
Manufactured in square tubes, the 4 side walls are in expanded metal.
With inner handle around the entire perimeter.
The bottom is a steel plate with 4 drainage holes.
The 4 feet in tubes 140x90 mm and with length 100 mm are placed 150 mm from the edges and with 600 mm between the tubes. This allows the man basket to be moved with the forklift without people in the basket.

- N According to the norm EN 14502-1.
Complies with the safety standards of the general work regulations.

- i Additional information on the man basket, ILSA NA-1:
 - Finishing powder coated yellow RAL1021.
 - The basket is a work equipment that does not require an EC marking. Commissioning is done according to CODEX.

Options:

- Other colors and finishes (metallization, extra epoxy layer, ...).
- Option to close the roof with expanded metal, flat sheet or tarpaulin.
- Other suspensions (even larger ring, cable length, ...).
- Other feet.
- Equip with castors.
- Other capacities and dimensions.
- PPE (harness, fall protection, ...).
- Examination and report for commissioning by a recognized inspection organisation on request.



NA-1



| Type | WLL (kg) | H1 (mm) | H2 (mm) | L (mm) | W (mm) | Weight (kg) |
|--------|----------|---------|---------|--------|--------|-------------|
| ☼ NA-1 | 150 | 2225 | 1000 | 800 | 600 | 105 |

☼ Bestseller

NABL

Man basket for the transport of injured persons ISLA

NABL

A Serves to move an injured person on a stretcher with 2 handlers.

+ Design and production in our workshops in Belgium.

The self-closing door swings open inwards and is fitted with a lock.

With 2 anchor points for harness.

With a 4 leg G100 chain sling with a large ring with dimensions 160x90mm.

Manufactured in square tubes, the 4 side walls are in expanded metal.

With inner handle around the entire perimeter.

Checker plate bottom with 4 drainage holes.

The 4 feet in tubes 140x90 mm and with length 100 mm are placed 150 mm from the edges and with 600 mm between the tubes. This allows the man basket to be moved with the forklift without people in the basket.

N According to the norm EN 14502-1.

Meets the safety standards of the general work regulations.

i Additional information on the man basket, ILSA NABL:

- Finishing powder coated yellow RAL 1021.
- The basket is a work equipment that does not require an EC marking. Commissioning is done according to CODEX.

Options:

- Other colors and finishes (metallization, extra epoxy layer, ...).
- Option to close the roof with expanded metal, flat sheet or tarpaulin.
- Other suspensions (even larger ring, cable length, ...).
- Other feet.
- Equip with castors.
- Other capacities and dimensions.
- PPE (harness, fall protection, ...).
- Examination and report for commissioning by a recognized inspection organisation on request.



NABL



| Type | WLL (kg) | H1 (mm) | H2 (mm) | L (mm) | W (mm) | Weight (kg) |
|--------|-------------|------------|------------|-----------|-----------|----------------|
| 🔗 NABL | 500 | 2225 | 1000 | 3000 | 1200 | 400 |

🔗 Bestseller

NAEL

Man basket for forklift trucks ILSA NAEL


- + Design and production in our workshops in Belgium.
 Rectangular tubes with internal dimensions of 190x90 mm are welded to the underside of the metal floor, making it easy to insert the forks of a forklift truck.
 With safety chain to secure the basket to the forklift mast.
 The self-closing door swings open inwards and is fitted with a lock.
 With 2 anchor points for harness.
 Manufactured in square tubes, with one wall in flattened expanded metal on the entire height to protect the user.
 With inner handle on short sides.
 Checker plate bottom with 4 drainage holes.

- N According to the norm EN 14502-1.
 Meets the safety standards of the general work regulations.

- i Additional information on the man basket, ILSA NAEL:
 - Finishing powder coated yellow RAL1021.
 - Warning: the forklift truck must be designed for man baskets for persons!
 - The basket is a work equipment that does not require an EC marking. Commissioning is done according to CODEX.
 - The assembly, forklift truck and basket must be inspected by a recognized inspection organisation.

Options:

- Other colors and finishes (metallization, extra epoxy layer, ...).
- Other feet.
- Other capacities and dimensions.
- Examination and report for commissioning by a recognized inspection organisation upon request.



NAEL



| Type | WLL (kg) | H1 (mm) | H2 (mm) | L (mm) | W (mm) | Weight (kg) |
|--------|-------------|------------|------------|-----------|-----------|----------------|
| 🔧 NAEL | 300 | 2225 | 1000 | 900 | 1200 | 80 |

🔧 Bestseller

BAMAT

Material basket ILSA BAMAT

- + Design and production in our workshops in Belgium.
 The swinging door opens outwards and is equipped with an automatic locking system.
 With a 4 leg G100 chain sling with a large ring with dimensions 160x90mm.
 Manufactured in square tubes, the 4 side walls are in expanded metal.
 The bottom is a steel plate with 4 drainage holes.

- i Additional information about the material basket, ILSA BAMAT:
 - Finishing powder coated yellow RAL 1021.
 - The basket is a work equipment that does not require an EC marking. Commissioning is done according to CODEX.

Options:

- Other colors and finishes (metallization, extra epoxy layer, ...).
- Other suspensions (even larger ring, wire rope length, ...).
- Other feet.
- Other capacities and dimensions.
- Access ramp.
- Examination and report for commissioning by a recognized inspection organisation on request.



| Type | WLL (kg) | H1 (mm) | L (mm) | W (mm) | Weight (kg) |
|-------|----------|---------|--------|--------|-------------|
| BAMAT | 500 | 1000 | 1200 | 800 | 115 |

Bestseller

NAMAT

Material basket for the transport of pallets ILSA NAMAT

- A Especially designed for the transport of pallets.
 Place for 2 Euro-pallets measuring 0.8 m x 1.2 m.
- + Design and production in our workshops in Belgium.
 Both doors open outwards and are locked at the top and bottom.
 With a 4 leg G100 chain sling with a large ring with dimensions 160x90mm.
 Manufactured in square tubes, the 4 side walls are in expanded metal.
 The bottom is a steel plate with 4 drainage holes.

- i Additional information on the material basket, ILSA NAMAT:
 - Finishing powder coated yellow RAL 1021.
 - The basket is a work equipment that does not require an EC marking. Commissioning is done according to CODEX.

Options:

- Other colors and finishes (metallization, extra epoxy layer, ...).
- Other suspensions (even larger ring, cable length, ...).
- Other feet.
- Other capacities and dimensions.
- Access ramp.
- Examination and report for commissioning by a recognized inspection body on request.



Material basket with access ramp on request



| Type | WLL (kg) | H1 (mm) | L (mm) | W (mm) | Weight (kg) |
|-------|----------|---------|--------|--------|-------------|
| NAMAT | 1000 | 2000 | 2000 | 1800 | 500 |

Bestseller




Material basket with access ramp



Large-sized material basket with double door



Man basket painted in white



Small material basket



Man basket with roof and guide wheels



Round man basket for 1 person



Extra large man basket for forklift truck



Man basket with tarpaulin



Man basket painted in blue



Material basket consisting of 2 parts



Man basket for use with forklift truck and for lifting



Material basket with 2 double doors and 2 access ramps